

APPENDIX 9 TO MAIN REPORT

Schedule of Smaller Sites

Summary of small sites for which Achievability assessment has not been carried out

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
11	0.16	LAND AT COVENT GARDEN / CHAPEL STREET / RUMFORD STREET	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	14
12	0.15	LAND BETWEEN HACKINS HEY / TEMPEST HEY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	76
14	0.10	LAND AT ISLINGTON / CRAVEN STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
15	0.07	LAND AT KEMPSTON ST / CONSTANCE ST / FINCH PLACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
16	0.10	LAND BETWEEN LAMBERT ST AND CRAVEN STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
18	0.05	FORMER SITE OF 7 GILL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
19	0.08	SITE OF FORMER 8-28 TOXTETH STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
20	0.21	LAND AT JUNCTION OF PARK STREET / CARYL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
31	0.06	FORMER 113-123 KENSINGTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
32	0.01	LAND AT CORNER OF SPELLOW LANE / GOODISON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
35	0.16	LAND AT JUNCTION OF MOUNT VERNON MOUNT VERNON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	16
36	0.23	DENBIGH ROAD / RICE LANE (EX RAILWAY LAND)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
41	0.02	54-56 LODGE LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
42	0.12	LAND AT JUNCTION OF UPPER STANHOPE ST / CARTER ST / BERKLEY ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
44	0.13	2-14 BERKLEY STREET / 68 HAMPTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
45	0.04	FORMER 53-55 IVY LEIGH	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
46	0.09	FORMER 190-198 HIGH PARK STREET / 2 KELVIN GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
48	0.18	FORMER 2-8 FOX ST / 171-189 RICHMOND ROW	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
62	0.07	FORMER 61-63 WINDOW LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
68	0.26	LAND OPPOSITE 51-59 WAVERTREE ROAD / WOODSIDE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
70	0.17	STANLEY INDUSTRIAL ESTATE (NORTH OF PRESCOT ROAD)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
74	0.09	LAND AT STRAND ST / REDCROSS ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	14
75	0.05	BRUNSWICK ST / DRURY LANE CAR PARK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
76	0.13	LAND BETWEEN GASCOYNE ST / LEEDS ST / PALL MALL	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	13
81	0.27	LAND BETWEEN ORIEL ST & NAYLOR ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	38
82	0.27	LAND SOUTH OF LITTLE HOWARD ST EAST OF RAILWAY ADJ TO THE OLD VIADUCT	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	10
86	0.18	LAND BETWEEN FULTON STREET / REGENT ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	18
87	0.25	LAND BETWEEN LUTON STREET / GRUNDY STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	25
98	0.11	LAND N/E SIDE OF SIMPSON STREET BTW NORFOLK ST / WATKINSON ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	19
99	0.09	28-36 ST JAMES ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	15
103	0.34	LAND ON THE NORTH SIDE OF SANDHILLS LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	34

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
105	0.39	LAND AT CORNER OF HILL STREET / CARYL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	36
106	0.05	FORMER 94-106 PARK ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
111	0.07	FORMER 5-7 ARUNDEL AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
112	0.22	LAND TO THE REAR OF 9 AIGBURTH HALL RD	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	5
113	0.07	43-45 GREY RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
114	0.02	FORMER 15 BALMORAL RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
115	0.03	1 BRECKSIDE PARK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
119	0.24	THE WHITE HOUSE / FULWOOD PARK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
123	0.08	SOUTHERN SITE OF GARAGE COURTS HAVEN ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
124	0.08	NORTHERN SITE OF GARAGE COURTS HAVEN ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
125	0.02	LAND AT CORNER OF FERN GROVE / MAPLE GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
129	0.01	LAND AT 2 DORSET ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
131	0.17	FORMER WHITEFIELD PRIMARY SCHOOL ANNEXE / RED ROCK STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	56
133	0.06	18 RADSTOCK ROAD / BALMORAL ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
134	0.18	LAND NORTH OF PARK ST BETWEEN RAILWAY LINE & GRAFTON ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	8
141	0.06	24 STALMINE ROAD AND ADJACENT LAND	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
144	0.04	SOUTHERN SIDE JNCT OF HOLT ROAD / COTSWOLD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
145	0.03	NORTHERN SIDE JNCT OF HOLT ROAD / COTSWOLD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
146	0.02	158-160 BOALER ST / MANSELL ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
147	0.13	MOBILE LIBRARY SITE SPEKE RD / ASHTON DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
148	0.06	GREENFIELD HOUSE / GREENFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
149	0.01	148 HIGH PARK STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
151	0.04	304 BINNS ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
152	0.04	LAND AT NELSON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
153	0.02	LAND AT MELLING AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
155	0.08	80-88 WELLINGTON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
156	0.21	REAR OF 25 DARBY ROAD	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2
157	0.12	21 GRANGE WEINT	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
158	0.10	LAND TO WEST OF JUNCTION OF CLIFTON ROAD EAST AND LOWNDES ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
159	0.01	1-3 OAKFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
166	0.35	WAVERTREE RD / KINGLAKE ST / SHENSTONE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	18
169	0.29	SPEKE ROAD / ARIEL PARADE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	14
176	0.13	LAND AT GREENHILL ROAD / STAMFORDHAM DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
178	0.04	10-12 FERN GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
179	0.03	11-13 FERN GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
180	0.05	19-29 LIME GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
181	0.02	LAND ADJACENT 33 LONGFELLOW STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
187	0.02	162-166 HIGH PARK ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
190	0.06	JUNCTION OF LEMON STREET / STANLEY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
192	0.06	CLIFTON RD EAST BETWEEN CHESTER RD / DORSET ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
198	0.03	JUNCTION OF ORWELL RD / RICKMAN ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
199	0.07	JUNCTION OF ORWELL RD / FONTHILL RD / RICKMAN ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
200	0.05	JUNCTION OF BECKET ST / FOUNTAINS RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
203	0.10	SITE IN GRAMPIAN RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
204	0.08	SITE IN LABURNUM ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	16
205	0.01	SITE IN RAWLINS STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
206	0.03	32A HOLLAND STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
207	0.01	43 ALFORD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
208	0.01	13 FREEHOLD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
209	0.01	51 ALFORD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
210	0.07	FORMER 13-15 ARUNDEL AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
211	0.12	LAND AT REAR OF CLUB IN FREEMAN ST / BECTIVE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
212	0.10	REAR OF THE COMMUNITY CENTRE FREEMAN ST / FEARN SIDE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
213	0.05	JUNCTION OF CECIL ST / PICTON RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
214	0.13	201-299 PRESCOT ROAD & 10-26 PRESCOT DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
217	0.02	FORMER SITE OF 2 FINLAY ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
218	0.03	FORMER SITE OF 81-85 KENSINGTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
221	0.15	FRONTAGES ALONG KENSINGTON BETWEEN SAXONY ROAD & EMPRESS ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	15
222	0.05	LAND TO REAR OF 2-4 KENSINGTON / HALL LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
227	0.05	3-7 CAMDEN ST & 17 LONDON RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
230	0.04	LAND AT JUNCTION OF HILL STREET / MILL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
232	0.07	43 SOUTHWOOD ROAD & LAND TO REAR	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
234	0.22	1-37 LOWER BRECK ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
236	0.01	LAND ADJ TO 1 HAMPSON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
237	0.09	EAST OF CAIRD STREET / WEST DERBY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
242	0.04	38-40 FERN GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
244	0.06	LAND AT 10 ALMA ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
245	0.12	LAND ON PALMERSTON ROAD BETWEEN EASTFIELD & EASTCROFT	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
248	0.12	LAND TO SOUTH OF PARK STREET BTWN UPPER ESSEX ST / TOXTETH ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
251	0.02	11 OLDHAM PLACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
253	0.26	LAND ON EAST MILLWOOD ROAD BETWEEN SANDHAM / MILLWAY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
255	0.19	LAND AT WESTERN END OF HALDANE RD / REAR OF 70 WALTON VILLAGE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	7
256	0.03	115 HARTINGTON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
261	0.20	SE SIDE FORMER PENNY LANE BUS DEPOT / SMITHDOWN ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
268	0.11	LAND TO SE JUNCTION OF ESK ST / DERBY RD INCLUDING BEAUMARIS ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
270	0.07	LAND TO REAR OF KELTON LODGE / WOODLANDS ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
271	0.20	FORMER 321-325 SCOTLAND RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
272	0.17	LAND TO NORTH OF YORK TERRACE & REAR OF PRESBYTERY / ST DOMINGO RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
274	0.06	BUILDERS YARD ADJACENT TO 1 CHURCH ROAD WEST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	3
275	0.04	FORMER PUBLIC HOUSE / 22 WILLIAM HENRY STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
276	0.05	FORMER 45-55 GOODISON ROAD / 77 NESTON ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2
278	0.06	THE NOOK FULLWOOD PARK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
280	0.10	SITE BETWEEN NORWOOD WAY / CONWY DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
281	0.14	SOUTH OF JUNCTION OF NORWOOD CLOSE / WHITE ROCK ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
282	0.20	LAND AT BEUFORT ST / YATES ST / MORNINGTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
283	0.04	LAND AT THE WESTERN END OF THOMASTON ST	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	4
288	0.05	LAND ADJACENT TO 5 BAMBOO CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
292	0.09	GARDEN AT THE REAR OF 5 NORTH ROAD / GRASSEDALE PARK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
293	0.10	FORMER ROPER STREET GARAGES	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
294	0.26	LAND TO SOUTH EAST OF AMITY STREET / ROPER STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
295	0.09	LAND AT NORTH HILL ST / AMITY ST / LETITIA STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
296	0.04	CAR PARK AT JUNCTION OF MELVILLE STREET & MILES STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
297	0.05	20-26 ST MARYS ROAD / 23A JAMES STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
299	0.25	LAND AT THE REAR OF STRATFORD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	2
312	0.38	VOELAS ST NEIGHBOURHOOD PARK	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	0
320	0.17	FORMER BINGO CLUB / WEST DERBY RD	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	3
325	0.25	LAND TO NORTH OF PARK STREET TO THE WEST OF RAILWAY	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	9
331	0.18	CAR PARKS TO SOUTH OF CALEDONIA STREET	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	15
333	0.12	89-99 RENSHAW STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
340	0.14	FRUIT EXCHANGE / 10-16 VICTORIA STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	11
341	0.07	PRODUCE EXCHANGE BUILDING / VICTORIA STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
347	0.11	ROYAL INSURANCE BUILDINGS / NORTH JOHN STREET / DALE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	18
351	0.01	NORTH STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
358	0.02	65-69 KEMPSTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
360	0.02	44A STAFFORD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
361	0.13	LAND BETWEEN LAMBERT WAY / KEMPSTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
366	0.10	SOUTH EAST JUNCTION OF ISLINGTON / NORTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
367	0.03	LAND BETWEEN BAYHORSE LANE AND CONSTANCE STREET	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	0
372	0.02	LAND TO NORTH WEST OF JUNCTION OF EPWORTH STREET / PRESCOT STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
373	0.01	11 PRESCOT STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
376	0.13	SITE OF FORMER 20-22 MOSS STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	11
377	0.10	LAND AT OAKES STREET / PEMBROKE PLACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
378	0.01	35 PEMBROKE PLACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
379	0.01	29 PEMBROKE PLACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
382	0.09	FORMER ABC CINEMA JUNCTION OF LIME STREET / ELLIOT STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
389	0.03	3 TEMPLE LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
393	0.01	BUILDING AT CORNER POWNALL SQUARE/ SMITHFIELD ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
395	0.12	7-15 SWEETING ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	20
398	0.04	LAND ADJACENT TO ELECTRICITY SUB STATION / HAWKSTONE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
400	0.39	OUR LADY OF RECONCILIATION SCHOOL / VAUXHALL ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	14
401	0.02	31-33 PEMBROKE PLACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
402	0.06	LAND AT BARNSIDE COURT / BARNHAM DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
404	0.02	LAND ADJACENT TO 25 PALACE ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
405	0.01	FORMER 44 SMITHDOWN RD / NORTH WEST OF NEWSTEAD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
407	0.04	FORMER 60-65 SMITHDOWN ROAD BTWN CULLEN ST AND GREENLEAF ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
409	0.17	94 SILVERDALE AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
410	0.30	HIGH PARK STREET RESERVOIR	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	30
411	0.10	377 MILL STREET / FORMER FLORENCE INSTITUTE FOR BOYS	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
413	0.27	FORMER RATHBONE C P SCHOOL / ALBANY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
414	0.04	LAND AT SEEL ST (OPPOSITE CONCERT ST)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
415	0.05	63 & 65 DUKE STREET / 15 WOLSTENHOLME SQUARE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
419	0.07	16-18 OAKES STREET AND LAND TO REAR	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
422	0.28	GLADSTONE HOUSE / 4 BRECKSIDE PARK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
424	0.19	82-100 LINNER ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
425	0.19	83-101 LINNER ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
426	0.15	142-156 LINNER ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
427	0.17	143-157 LINNER ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
429	0.10	151-161 CHRITCHLEY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
433	0.13	120-130 HAREFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
434	0.14	60-70 HAREFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
435	0.14	66-76 HARLAND GREEN	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
439	0.08	FORMER ELECTRIC LIGHT STATION / 13B SANDFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
445	0.03	94/98 SEEL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
447	0.01	ALLIANCE HOUSE / 14 NORTH JOHN STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
449	0.26	VACANT PLOT / CASTOR STREET / LARCH LEA INDUSTRIAL ESTATE / ANFIELD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
450	0.10	KINGSTON HOUSE / JAMES STREET / THE STRAND	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	99
451	0.03	60 UPPER PARLIAMENT STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
453	0.06	41 MOORFIELDS	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
456	0.01	VACANT LAND AT 1 BISHOP ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
459	0.03	LAND ADJACENT TO 255 DEYSBROOK LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
460	0.33	DEPOT AND WAREHOUSE BETWEEN BLACKSTOCK ST & FORD ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	33
463	0.16	LAND BETWEEN LEEDS ST, FREEMASONS' ROW & GARDNER'S ROW	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
467	0.31	LAND BETWEEN EATON ST & GASCOYNE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	31
474	0.24	GT HOWARD ST / LITTLE HOWARD ST / SPRINGER ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	24

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
475	0.16	GT HOWARD ST / LITTLE HOWARD ST / CHADWICK ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
479	0.03	BUILDING AT CORNER OF WATERLOO RD & VULCAN ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
480	0.08	69, 70, 71 WATERLOO RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
482	0.19	28-32 PORTER ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	7
483	0.01	147 GT HOWARD ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
490	0.27	2-10 GLEGG ST AND ADJACENT LAND	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	27
491	0.20	LAND AND BUILDING AT CORNER REGENT RD, SALTNEY ST & DUBLIN ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	20
496	0.28	BUILDING AT CORNER OF GT HOWARD ST & BENTINCK ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	28
499	0.04	WAREHOUSE AT FULTON ST & BLACKSTONE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
500	0.33	LAND AT CORNER OF BLACKSTONE ST & GREAT HOWARD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	33
503	0.14	LAND AND BUILDING AT CORNER OF BOUNDARY ST / REGENT RD / SANDON WAY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
509	0.20	LAND AT CORNER REGENT RD / BELLTOWER RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	20
513	0.03	VACANT PUBLIC HOUSE ON CORNER OF CLYDE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
516	0.03	BUILDING ON ELEANOR ST, BETWEEN HADDOCK ST & ESK ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
517	0.09	LAND & BUILDING BETWEEN BRASENOSE RD & CANAL	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
521	0.19	LAND ADJACENT TO WAPPING / BETWEEN BLUNDELL ST & KINGS DOCK ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	32
523	0.01	LAND AT CORNER OF JAMAICA ST & BLUNDELL ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
524	0.04	LAND AT JUNCTION OF JAMAICA ST & ST JAMES ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
526	0.04	61-63 NORFOLK ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
527	0.05	LAND AT CORNER OF NORFOLK ST & SIMPSON ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
529	0.13	LAND BETWEEN BRICK ST & NORFOLK ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	21
534	0.02	47 HENRY ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
535	0.01	100 SEEL ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
536	0.10	140-155 DUKE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
537	0.03	183-185 DUKE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
539	0.04	40 SLATER ST / SLATER PLACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
541	0.01	79-81 SEEL ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
542	0.02	9-11 BACK COLQUITT ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
543	0.07	106-108 WOOD ST / 12 BERRY ST / WORKS ON BACK BERRY ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	6
548	0.03	87-93 DALE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
550	0.05	77-85 DALE ST (PRINCE'S BUILDINGS)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
551	0.02	11 CHEAPSIDE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
553	0.02	66-68 TITHEBARN ST (EX-PH)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
554	0.02	75 DALE ST (NEW OXFORD HOUSE)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
555	0.01	2-6 VERNON ST / 71 DALE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
558	0.01	14 DALE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
563	0.06	30 JAMES ST (ALBION HOUSE)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
564	0.07	MOOR HOUSE (ABOVE JAMES ST STATION)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	11
565	0.02	10-12 JAMES ST (CROWN HOUSE)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
574	0.13	UNITS 1, 2, 3 & 4, HATTON INDUSTRIAL ESTATE (GT CROSSHALL ST)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	11
576	0.07	LAND BETWEEN NORTH ST & JOHNSON ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	6
578	0.11	BUILDING BETWEEN JOHNSON ST & NORTH ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
581	0.19	LAND BETWEEN QUEENSWAY ENTRANCE & MANCHESTER ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	16
584	0.05	LAND AT CORNER OF DALE ST / HATTON GARDEN	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
586	0.02	19 DUKE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
587	0.04	13-15 DUKE ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
591	0.01	48 SEEL ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
592	0.06	LAND AT 42 SEEL ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
604	0.03	BUILDING AT CORNER WOOD ST/ BERRY ST/ BOLD ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
624	0.18	Former King Edward Public House and adjacent land/buildings, King Edward Street, Liverpool, L3	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	15
630	0.05	LAND AT CORNER OF CROPPER ST / NEWINGTON / RENSHAW ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
637	0.02	BUILDING ON ROSCOE ST (NO 2)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
640	0.02	12 BENSON ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
644	0.03	LAND AT 13 UPPER NEWINGTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
648	0.04	BUILDING AT 19 HENRY ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	3

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
652	0.07	LAND AT CORNER OF CATHEDRAL WALK & POMONA ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
654	0.11	IRISH CENTRE, 127-129 MOUNT PLEASANT	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
656	0.01	LAND AT HIGHFIELD ST (ADJACENT TO CAR PARK LANDFILE REF 122)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
659	0.03	BUILDING AT CORNER GREAT CROSSHALL ST/ STANDISH ST (OPPOSITE HOLY CROSS CHURCH)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
672	0.03	LAND BETWEEN 8 & 10 MARYLAND ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	3
673	0.12	LAND ON MARYLAND ST, TO REAR OF ST THOMAS'S HALL	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	10
686	0.02	LAND ADJACENT TO 27 EGERTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
694	0.11	109-111 MULBERRY STREET, AT CORNER OF MYRTLE STREET (FORMER RODNEY YOUTH CENTRE)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
695	0.07	LAND AT CORNER OF BEDFORD STREET SOUTH & SIR HOWARD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	12
697	0.03	39 HOPE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
700	0.03	LAND AND BUILDINGS BOUNDED BY UPPER DUKE ST/ ROSCOE ST/ BACK KNIGHT ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
705	0.02	58 STAFFORD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
706	0.02	27-29 STAFFORD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
707	0.01	21 STAFFORD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
709	0.11	37-51 KEMPSTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
711	0.03	LAND ON GILDART STREET, OPPOSITE CONSTANCE STREET	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	0
712	0.08	LAND BETWEEN NOS 31 & 33 DEVON STREET AND ISLINGTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
713	0.04	71-73 KEMPSTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
716	0.08	69-71A OLDBRIDGE ROAD AND 16-18 ARDWICK ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
717	0.09	93-99 CRITCHLEY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
718	0.15	353-355 EDGE LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
719	0.15	1-7 CHURCH MEWS	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
721	0.18	LAND ADJACENT TO WEST DERBY ST, OPPOSITE CROWN ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	15
722	0.04	LAND AT IRVINE ST, EAST OF JUNCTION WITH MOUNT VERNON ST	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2
723	0.21	LAND & BUILDINGS BETWEEN IRVINE ST & BACK MOUNT VERNON GREEN	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
726	0.07	LAND & BUILDINGS AT JUNCTION OF MOUNT VERNON STREET & BENGEL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
736	0.28	FORMER BEAUFORT ST SCHOOL	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
739	0.21	BUILDINGS BOUNDED BY ARGOS RD, STANLEY RD AND CELIA ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
742	0.05	LAND AT ORWELL RD (ADJACENT TO WESTMINSTER UNITED REFORMED CHURCH)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
743	0.08	SHARON HALL, CHURNET ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
744	0.11	FORMER OLD BILL PUB CORNER OF BRADEWELL ST / ROCKLEY ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
745	0.09	LAND BOUNDED BY CHEPSTOW ST / CARISBROOKE RD/ ARUNDEL ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
746	0.11	LAND BOUNDED BY CHURCH RD / HEATHCOTE RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
748	0.02	BUILDING AT FAZAKERLEY RD	Site faces significant suitability constraints Site performs well against availability criteria	Previously Developed Land	1
751	0.04	LAND OFF GUILDHALL RD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
752	0.20	LAND AT HIGHER LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
756	0.18	VACANT LAND AT HARTLEY'S VILLAGE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
757	0.08	LAND AT HAVEN RD, ADJ TO FAZAKERLEY PLAYING FIELDS	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	3
758	0.12	LAND AT HAVEN RD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	4
775	0.07	LAND BETWEEN ACCESS ROAD / THORNBROOK CLOSE / DEYSBROOK LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
779	0.09	LAND AT WILLOW WAY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
780	0.18	LAND AT TOTNES RD / OTTERTON RD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	7
781	0.20	LAND AT NEWDOWN RD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	7
783	0.21	LAND AT CORNER OF MOSS WAY / MIDDLE WAY	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	8

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
793	0.08	LAND AT PRESCOT RD (BETWEEN ASHTON ST AND SHAFTESBURY TERRACE)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
806	0.17	FORMER CLUB AND BOWLING GREEN HYGEIA STREET / SEVERS STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
812	0.27	FORMER ST CLEMENT'S COURT AT PARADE CRESCENT	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
816	0.10	SITE AT CORNER OF DINGLE LANE / PARK ROAD, L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
822	0.32	LAND BETWEEN GREAT MERSEY ST & LANCASTER ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	12
825	0.16	LAND WEST OF NETHERFIELD RD NORTH	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
852	0.07	126-128 STONEBRIDGE LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
854	0.03	5 FAZAKERLEY STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
867	0.03	HSBC BANK KENSINGTON/HOLT ROAD L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
879	0.23	FORMER BENEFITS OFFICE, 58 BRECKFIELD ROAD SOUTH	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
890	0.33	GWALIA, QUEENS DRIVE WEST DERBY / CENTRAL DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	33

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield	
891	0.16	LAND AT ROSEBERRY STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6	
894	0.04	HARDY HOUSE 56 CHRISTIAN STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2	
898	0.04	16 FLEET STREET CONCERT STEPS	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3	
904	0.28	BETHEL CHAPEL, WELSH PRESBYTERIAN CHURCH, HEATHFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10	
905	0.33	529 AIGBURTH ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	39	
906	0.10	FORMER ROCKET SERVICE STATION	BOWRING PARK ROAD	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	3
916	0.02	FORMER STANLEY PH, 333 PRESCOT ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0	
918	0.05	330 SMITHDOWN ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2	
920	0.24	70 PENNY LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9	
922	0.10	2 ROCKBOURNE AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1	
923	0.07	VACANT LAND AT ST ANDREW'S BUSINESS CENTRE / FRONTAGE OF 89-93 ST MARY'S ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1	

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
928	0.02	83 RUSSIAN DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
936	0.06	LAND AT 15 BROOK ROAD L9	Site faces significant suitability constraints Site performs well against availability criteria	Previously Developed Land	9
942	0.01	1A MARLBOROUGH ROAD L13.	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
944	0.16	LAND ADJACENT HEALY CLOSE L27.	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	6
945	0.04	75-77 ALLERTON ROAD L25.	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
946	0.02	136-138 ST. MARY'S ROAD L19.	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
953	0.08	SITE AT TERNHALL ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	3
959	0.06	CORNER SITES AT JUNCTION OF MARSHFIELD ROAD AND HASFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
962	0.12	LAND ADJACENT TO STONEDALE RETAIL PARK, EAST LANCS ROAD L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
966	0.25	SHARD CLOSE	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	9
971	0.17	LAND BOUNDED BY PETHERICK ROAD/CALLESTOCK CLOSE/WILLOW WAY L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
975	0.03	LAND BOUNDED BY MOSS WAY/TRISPEN WALK L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
978	0.21	LAND BETWEEN ALTCROSS WAY/ORB CLOSE L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
979	0.05	LAND ADJACENT TO NO8 ORB CLOSE L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
980	0.22	THRONE ROAD L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
982	0.09	LAND ADJACENT TO SEFTON ARMS HOTEL P.H. CARR LANE EAST L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
983	0.15	LAND ADJ OUR LADY OF SORROWS CLUB (TO REAR OF 1-23 PIRRIE ROAD)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
984	0.23	LAND IN FRONT OF 95-119 SCARISBRICK ROAD	Site performs well against suitability criteria Site performs well against availability criteria		8
985	0.12	LAND ADJ TO TA CENTRE, TOWNSEND AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
986	0.20	LAND ADJ CLUB, BETWEEN TOWNSEND AVENUE & FALKLANDS APPROACH	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	4
988	0.15	CAR PARK BETWEEN BRIDGEWAY AND BROADWAY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
989	0.13	LAND SURROUNDED BY 33-83 NEW HALL LANE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	5

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
991	0.16	LAND OPPOSITE 57-73 WALTON BRECK ROAD Walton Breck Road	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
993	0.15	OUR LADY IMMACULATE CHURCH, YORK TERRACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
995	0.20	NORTHERN SECTION OF LAND BETWEEN BEACON LANE & ST DOMINGO ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
996	0.18	LIBRARY & LAND BEHIND, BEACON LANE / ST DOMINGO ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
997	0.10	16 BEACON LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
999	0.02	BUILDING AT NORTHERN CORNER OF DACY ROAD / OAKFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1000	0.03	LAND ON CORNER OAKFIELD ROAD/ROBARTS ROAD L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1001	0.06	8-12 BRECKFIELD ROAD NORTH	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	1
1003	0.17	LAND AT END OF SPRUCEWOOD CLOSE / OAKFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
1004	0.07	CAR PARK PICKERING STREET / BRECKFIELD ROAD SOUTH	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1005	0.36	THE STRAWBERRY TAVERN Breckfield oad South	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1007	0.05	EASTERN CORNER OF KILSHAW STREET / ATWELL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1009	0.15	CORNER OF WEST DERBY ROAD & KILSHAW STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1011	0.10	CORNER OF WEST DERBY ROAD / PERTH STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1016	0.14	LAND BOUNDED BY EVERTON ROAD / SPENCER STREET / CRESSWELL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
1017	0.35	THE VIEW SOCIAL CLUB, EVERTON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
1032	0.03	SITE AT EVERTON BROW	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1038	0.08	LAND AT CORNER OF ROSALIND WAY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1042	0.08	LAND AT RUMMEY ROAD WEST / LANGTRY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1045	0.05	LAND AT GODDALL STREET / GODDALL PLACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1047	0.03	LAND AT CARISBROOKE ROAD / BEESTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
1048	0.10	LAND AT BARLOW LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1049	0.02	LAND AT BARLOW LANE / CHIRKDALE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1052	0.13	LAND AT WESTMINSTER ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1053	0.07	LAND AT WESTMINSTER ROAD / BRADEWELL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1055	0.31	LAND AT SPELLOW LANE / LANGHAM STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	11
1062	0.08	LAND AT SESSIONS ROAD / NORTH DINGLE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1065	0.05	SITE AT WESTWINSTER ROAD / FOLEY STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1066	0.13	LAND AT FOLEY STREET / EASYBY STREET / ROLLO STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
1069	0.08	LAND AT COMMERCIAL ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1071	0.11	LAND AT CORNER OF BLACKFIELD STREET AND LATHAM STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1073	0.01	LAND ON THE NORTH SIDE OF ATHOL STREET/STANLEY ROAD JUNCTION L5	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
1074	0.25	LAND & BUILDINGS FRONTING SCOTLAND ROAD (IN FRONT OF ORRY STREET)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	13

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1077	0.12	LAND ON THE SOUTH SIDE OF BLENHEIM STREET/ LIMEKILN LANE JUNCTION L5	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	0
1080	0.12	LAND BOUNDED BY BURLINGTON STREET/VAUXHALL ROAD/PORTLAND STREET L5	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1089	0.03	LAND AT JCT OF NORTH VIEW / UPPER MASON STREET / BACK IRVINE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1090	0.08	LAND AT JCT OF IRVINE STREET / MASON STREET / PADDINGTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1092	0.13	LAND AT WAVERTREE ROAD / SHENSTONE STREET / OVERTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1093	0.20	CAR PARK AT WAVERTREE ROAD / NELSON ROAD / HELENA STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
1094	0.13	LAND AT WAVERTREE ROAD / UXBRIDGE STREET / HARBORD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1095	0.09	LAND AT NORTHERN CORNER OF TUNNEL ROAD / CHANDOS STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1105	0.10	LAND AT NW JCT OF CULLEN STREET / LONGFELLOW STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1106	0.09	LAND AT SE JCT OF CULLEN STREET / LONGFELLOW STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1107	0.15	LAND AT NEWSTEAD ROAD / RIVER AVON STREET / NOEL STREET	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	5

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1108	0.04	LAND AT JCT OF LODGE LANE / NOEL STREET / LONGFELLOW STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1109	0.08	LAND AT JCT OF LODGE LANE / BOSWELL STREET / WORDSWORTH STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1110	0.08	LAND AT JCT OF LODGE LANE / ASPEN GROVE / CEDAR GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1111	0.06	LAND AT JCT OF LODGE LANE / LIME GROVE / MOSS GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1114	0.05	LAND ADJACENT TO NO 5 CROXTETH HALL LANE L12	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	2
1120	0.20	LAND ADJACENT TO DERBY MILLS PH, MUIRHEAD AVENUE EAST L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
1123	0.14	LAND IN FORDLEA WAY, TO THE REAR OF NOS 15-21 NORTH PARK SIDE WALK L12	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1126	0.06	LAND ADJACENT TO NOS 25-51 CASTLEFIELD ROAD L12	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1129	0.08	LAND ADJACENT TO NOS 15 & 37 CULME ROAD L12	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1130	0.22	LAND ON THE CORNER OF QUEENS DRIVE/MARLOWE DRIVE L13	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	8
1132	0.08	LAND AT DEYSBROOK SIDE L12	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1136	0.08	LAND ADJACENT TO NO26 BIRCHFIELD ROAD L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1137	0.21	GARDENS ADJACENT TO 51 MOOR LANE L4	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	8
1138	0.05	LAND ON THE CORNER OF MOOR LANE AND QUEENS DRIVE WALTON L4	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2
1139	0.06	LAND ADJACENT TO NO8 WALTON VILLAGE L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1140	0.10	GARAGES, HEATHCOTE ROAD L4	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	4
1141	0.04	LAND ADJACENT TO CHURCH, PETER ROAD L4	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	1
1142	0.02	LAND ON THE CORNER OF STUART ROAD/HALE ROAD L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1143	0.07	LAND ON THE CORNER CARISBROOKE ROAD/LUDLOW STREET L4	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	1
1146	0.07	LAND AT 152 UPPER PARLIAMENT STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1151	0.07	LAND AT REAR OF 11-33 WINDSOR VIEW	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1152	0.05	LAND BOUNDED BY LODGE LANE / SOLWAY STREET EAST / ASBRIDGE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1158	0.22	LAND BETWEEN CARTER STREET & POMFRET STREET	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	8
1160	0.06	1-5 CLARIBEL STREET AT JCT WITH UPPER WARWICK STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1162	0.04	1-3 LOUDON GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1163	0.05	LAND AT JUNCTION OF MERLIN STREET / NORTH HILL STREET	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2
1164	0.02	26 VEOLAS STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
1177	0.03	GARAGES AT REAR OF 44 BELVIDERE ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1178	0.09	CLUB MYLES STREET / FAIR VIEW PLACE / BRUCE STREET / PADBURY STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1179	0.12	LAND ADJ TO NE OF PARKSIDE, 9 WINDERMERE TERRACE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1180	0.07	LAND BETWEEN NOS 40 & 43 AYRSHIRE ROAD L4	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2
1190	0.14	LAND ADJACENT TO MEDICAL CENTRE, BELMONT GROVE L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1191	0.02	LAND ON THE CORNER OF BELMONT ROAD/SUNLIGHT STREET L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1197	0.16	LAND ON THE CORNER OF WARWICK STREET & PRINCE WILLIAM STREET AND TO THE REAR OF RETAIL UNITS L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
1198	0.09	LAND ON THE CORNER OF WARWICK STREET AND SHAFTESBURY STREET L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1199	0.15	LAND BETWEEN NEW HENDERSON STREET & SHAFTESBURY STREET L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1203	0.24	LAND ON NORTHUMBERLAND STREET BETWEEN SOUTHWELL ST & BEAUFORT ST	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
1205	0.35	MILL VIEW, MILL STREET / RUTTER STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	35
1217	0.13	LAND BOUNDED BY DORRIT STREET/PARK ROAD/ NORTHUMBERLAND STREET L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1218	0.14	LAND ON UPPER WARWICK STREET BETWEEN ACORN COURT AND LUKE STREET L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1221	0.13	LAND BETWEEN HARLOW STREET AND HERCULANEUM ROAD L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1225	0.19	LAND ON DINGLE MOUNT, FRONTING ST FINBAR'S R.C. PRIMARY SCHOOL L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
1226	0.03	LAND ON THE CORNER OF KEDLESTON STREET/ PARK ROAD L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1228	0.21	LAND ON CARYL STREET, TO THE REAR OF HONDA GARAGE, L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	21

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1229	0.12	LAND AT WARBRECK AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1231	0.10	LAND OFF GRACE ROAD	Site faces significant suitability constraints Site performs well against availability criteria	Previously Developed Land	4
1242	0.03	SITE AT RICE LANE / CARNARVON ROAD / DENBIGH ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1244	0.35	LAND AT REAR OF CHESTNUT ROAD / SYCAMORE CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	12
1249	0.17	FORMER PETROL STATION BOOKER AVENUE/GREENHILL ROAD L18	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
1251	0.05	LAND ON THE CORNER HEYDEAN ROAD/HURSTLYN ROAD L18	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1252	0.04	LAND ADJACENT TO NOS 60-70 HURSTLYN ROAD L18	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1253	0.08	LAND ON THE CORNER OF RAMSEY ROAD/BROCKLEBANK LANE L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1254	0.13	LAND ADJACENT TO NOS 628-658 MATHER AVENUE L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1256	0.05	LAND IN IVY AVENUE L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1257	0.05	LAND TO THE REAR OF 563-565 AIGBURTH ROAD L19	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1258	0.28	LAND ON THE CORNER BEECHWOOD ROAD/BEECHWOOD GARDENS L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
1259	0.08	LAND ADJACENT TO NO8 SALISBURY ROAD L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1260	0.10	LAND TO THE REAR OF 193-201 ST MARY'S ROAD L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1265	0.07	SITE AT LONG LANE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	3
1266	0.29	SITE AT LONG LANE	Site faces some suitability constraints Site performs well against availability criteria	Greenfield	11
1278	0.12	SITE AT FALCON HEY	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	4
1279	0.07	SITE AT FALCON HEY / EAGLE DENE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	2
1280	0.31	SITE AT FALCON HEY / KESTRAL DENE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	11
1283	0.04	LOCK UP GARAGES, MOSS PITS CLOSE, L10	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	4
1295	0.08	FORMER TENNIS COURTS, WOOLTON ROAD, BETWEEN SINCLAIR DRIVE & MONTCLAIR DRIVE, L18	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	3
1298	0.17	LAND TO WEST OF JUNCTION OF WOOLTON ROAD & CROMPTONS LANE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	6

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1301	0.04	49 GORSEDALE ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	1
1302	0.13	LAND AT GREENHILL ROAD / VICARAGE CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	5
1303	0.22	LAND AT ARMITAGE GARDENS	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	8
1304	0.28	LAND AT NE CORNER OF JUNCTION OF GREENHILL ROAD / BOOKER AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	10
1305	0.08	LAND AT RUTHVEN ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1307	0.31	LAND ADJ TO CLUB TO NORTH OF JUNCTION OF QUEENS DRIVE & GLENDEVON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	11
1308	0.38	LAND IN FRONT OF CADWA CLUB, ROCKY LANE	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	14
1328	0.22	Land at Waterpark Drive/Harecroft	Site faces some suitability constraints Site performs well against availability criteria	Greenfield	8
1329	0.02	LAND TO THE NW OF 131 BARON'S HEY	Site faces some suitability constraints Site performs well against availability criteria	Greenfield	1
1337	0.18	LAND AT JCT OF ROUND HEY & HASWELL DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	7
1338	0.18	LAND ON HASWELL DRIVE (ADJ ST ALBERT'S CATHOLIC SCHOOL)	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	6

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1343	0.15	LAND ADJ CLUB AT JCT OF FINCH LANE / FINCH ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	5
1348	0.03	LAND AT RUSCOMBE ROAD (TO NORTH OF 167 FINCH LANE)	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	1
1356	0.04	LAND TO THE SOUTH OF VICTORIA CLOSE L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1357	0.08	GRASSED AREA, AIGBURTH ROAD, OPPOSITE ENTRANCE TO SEFTON PARK L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1358	0.34	LANDSCAPED BUFFER AIGBURTH ROAD ADJACENT TO JERICO COURT L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	34
1360	0.03	LAND ON THE CORNER OF AIGBURTH ROAD AND CHERMSIDE ROAD L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1361	0.04	LAND BOUNDED BY CHERMSIDE RD/ AIGBURTH ROAD/ CROMER ROAD L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1362	0.03	LAND BOUNDED BY CROMER ROAD/ AIGBURTH ROAD/ MILNER ROAD L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1370	0.10	LAND BOUNDED BY RATHMORE AVENUE/ ROSE LANE/ TEMPLEMORE AVENUE L18	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1372	0.32	CENTRAL RESERVATION, BRODIE AVENUE, SOUTH OF CARRICKMORE AVENUE L18	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	11
1375	0.09	LAND ON ULLET ROAD ADJACENT TO SHERRY COURT, L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1376	0.12	Vacant Social Club Crawford Avenue	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1377	0.02	NW Corner of Barrington Road and Garmoyle Road	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1378	0.05	LAND ON TOWNSEND LANE BETWEEN CURATE ROAD & RECTOR ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	2
1380	0.06	LAND ADJACENT TO No49 BRECKSIDE PARK, L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
1385	0.09	LAND ADJACENT TO No30 GLAMIS ROAD, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1389	0.15	LAND TO SOUTH OF GARDNER ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	5
1391	0.06	LAND AT CORNER OF WEST DERBY ROAD & BANKFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1392	0.09	44-50 SANDY LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1394	0.17	LAND ON QUEENS DRIVE WEST DERBY, BETWEEN MOSCOW DRIVE & STONEYCROFT CRESCENT	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
1395	0.05	LAND ON WEST DERBY ROAD BETWEEN OAK LEIGH & NEW ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1396	0.16	SITE OPPOSITE Nos 96-102 NEW ROAD, L13	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	6

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1399	0.05	LAND ADJACENT TO No11 RADNOR PLACE, L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1407	0.08	LAND BETWEEN 34&57 AMBLESIDE ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	3
1417	0.33	THE MANOR P.H. & BOWLING GREEN, WOOLTON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	12
1426	0.23	CORNER OF PRESCOT ROAD / GREEN LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	11
1429	0.12	28-30 CHURCH ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1431	0.05	LAND IN FRONT OF 23-27 ROCK GROVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1432	0.23	ABACUS ROAD L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
1439	0.13	BROAD GREEN ROAD GARDENS (AT JUNCTION OF CUNNINGHAM ROAD & BROAD GREEN ROAD)	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	5
1440	0.08	LAND AT HASLINGDEN CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1441	0.07	LAND BETWEEN SPEKELANDS & 70 OAKHILL PARK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1443	0.09	LAND IN FRONT OF 40-55 THE GREEN	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1444	0.07	LAND ADJ TO 40 THE GREEN	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2
1445	0.04	LAND BETWEEN 24&25 THE GREEN AND QUEENS DRIVE STONEYCROFT	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1449	0.14	LAND BOUNDED BY 403-433 QUEENS DRIVE STONEYCROFT L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1450	0.11	LAND BOUNDED BY 451-481QUEENS DRIVE STONEYCROFT L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1451	0.05	LAND BOUNDED BY 529-551 QUEENS DRIVE STONEYCROFT L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1452	0.11	LAND BOUNDED BY EAST PRESCOT ROAD/QUEENS DRIVE/LEXHAM ROAD L13	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	4
1457	0.23	ROCKET TRADING CENTRE, BROAD GREEN L14	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	100
1460	0.12	LAND BOUNDED BY NOS 29-63 BROOKSIDE AVENUE L14	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1469	0.04	LAND BETWEEN NOS 34-40 LONGREACH ROAD L14	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1471	0.07	LAND IN GRANT CLOSE L14	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	3
1472	0.06	LAND BOUNDED BY 56-86 MOSS GATE ROAD L14	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1475	0.12	CAR PARK AT WALKER STREET / MARSDEN STREET / NEVIN STREET / WEST DERBY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1480	0.05	LAND BETWEEN 39&45 TUDOR STREET NORTH AND 40&46 CAMBRIA STREET NORTH	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1481	0.02	LAND AT 39-45 CAMBRIA STREET NORTH	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1482	0.10	WORKS AT 86 COLERIDGE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1486	0.03	137-139 KENSINGTON (AT JUNCTION WITH FARNWORTH STREET)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1487	0.11	DYSON RYCROFT MEMORIAL HALL, BETWEEN 153&155 KENSINGTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1488	0.02	LAND ADJ 220 KENSINGTON (AT JUNCTION WITH MINTO STREET)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
1490	0.02	LAND AT JUNCTION OF CHISWELL ROAD & NEEDHAM ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
1493	0.21	GARAGES AT 143 PRESCOT ROAD (AT JUNCTION WITH GROVE ROAD)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
1495	0.02	31-33 PRESCOT ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
1498	0.03	24 FREEHOLD STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1501	0.25	BLOOMFIELD GREEN (BETWEEN AIGBURTH DRIVE & LINNET LANE)	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	25
1502	0.16	THE INGLENOOK PUBLIC HOUSE BEER GARDEN Ullet Road	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
1504	0.10	LAND TO THE REAR OF ALEXANDRA GREEN, ALEXANDRA DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1507	0.17	CAR PARK AT REAR OF TESCOS, ST MICHAEL'S ROAD	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	6
1512	0.23	LAND AT REAR OF FLOREY & FLEMING HOUSE BETWEEN FULWOOD DRIVE & GALBRAITH CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	12
1518	0.10	LAND AT WAVERTREE HIGH STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1520	0.19	DEPOT AT NORTHERN END OF FREDERICK GROVE	Site performs well against suitability criteria Site performs well against availability criteria		7
1526	0.04	BUILDINGS AT COVENTRY ROAD / HEATHFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1527	0.25	FORMER SOCIAL CLUB & CAR PARK AT CHURCH ROAD / BARNHILL ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
1533	0.34	LAND AT HARTSBOURNE AVENUE / NAPPS WAY / CHILDWALL VALLEY ROAD	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	12
1534	0.05	LAND ADJ LOOPLINE, HARTSBOURNE CLOSE	Site faces significant suitability constraints Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1536	0.05	LAND AT SOUTHERN CORNER OF JUNCTION OF LOWER FARM ROAD & MARCHWOOD WAY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1537	0.11	LAND AT 8 MARCHWOOD WAY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1540	0.09	LAND ADJ 1 SHREWTON ROAD (AT JCT WITH ELMHURST ROAD)	Site performs well against suitability criteria Site performs well against availability criteria		3
1541	0.06	LAND ON SARUM ROAD (ADJ NO. 20 DALEBROOK CLOSE)	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	2
1542	0.28	LAND AT MURRAYFIELD ROAD / MILDENHALL ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
1544	0.13	LAND AT HARTSBOURNE AVENUE (TO SOUTH OF JCT WITH HOLMLEIGH ROAD)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1545	0.17	LAND TO REAR OF HASLEMERE ROAD / MURRAYFIELD ROAD / CHISLEHURST AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
1546	0.10	LAND AT SW JUNCTION OF CHISLEHURST AVENUE & MURRAYFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1548	0.06	LAND AT MARLBROOK ROAD / MURRAYFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1556	0.14	LAND BETWEEN LEE PARK AVENUE & LENTON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
1557	0.14	LAND AT LEE PARK AVENUE / BELLE VALE ROAD / WESTBROOK ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
1558	0.11	LAND TO REAR OF POLICE STATION, RUNTON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1562	0.18	LAND ON NAYLORS ROAD (BETWEEN NAYLORSFIELD DRIVE & BROOMHILL CLOSE)	Site faces some suitability constraints Site performs well against availability criteria	Greenfield	7
1563	0.07	LAND ON NAYLORSFIELD DRIVE AT SE JCT WITH HANDEL ROAD	Site faces some suitability constraints Site performs well against availability criteria	Greenfield	2
1571	0.18	LAND ON NAYLORSFIELD DRIVE (OPPOSITE 14 ST CYRILS CLOSE)	Site faces some suitability constraints Site performs well against availability criteria	Greenfield	7
1580	0.34	LAND TO NE OF CHRIST CHURCH, MIDDLEMASS HEY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	12
1586	0.04	LAND IN FRONT OF 25 BEECHILL CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
1588	0.12	SOUTHWESTERN SIDE OF WOODLANDS SQUARE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
1595	0.20	LAND BETWEEN 66&104 SCAFELL WALK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
1602	0.09	LAND AT THORNSIDE WALK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
1603	0.04	THE NOOK	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2018	0.06	LAND TO THE NORTH OF JUNCTION OF CASSLEY ROAD & CRITCHLEY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2020	0.05	LAND TO THE SW OF HARLAND GREEN	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2021	0.05	LAND TO SE OF HARLAND GREEN	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2024	0.39	PLAYGROUND AT ARDWICK ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	14
2032	0.08	LAND BETWEEN HALE DRIVE & DAMWOOD ROAD (TO WEST OF RIDLEY WALK)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2033	0.07	LAND BETWEEN HALE DRIVE & DAMWOOD ROAD (TO EAST OF RIDLEY WALK)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2034	0.05	LAND BETWEEN 85&95 BURNAGE CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2035	0.16	LAND TO SOUTH OF JUNCTION OF BURNAGE CLOSE & OLDBRIDGE ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
2036	0.06	GARAGES ADJ TO 73 WITHINGTON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2038	0.07	LAND IN FRONT OF 1-17 CARLEY WALK, DAMWOOD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2039	0.07	LAND IN FRONT OF 2-16 CARLEY WALK, DAMWOOD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2041	0.13	LAND TO EAST OF SOUTHERN ROAD, SPEKE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2042	0.14	LAND TO WEST OF SOUTHERN ROAD, SPEKE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2048	0.14	LAND BETWEEN UPTON CLOSE & LITTLE HEATH ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2054	0.07	GARAGES IN FRONT OF 1-17 ILKLEY WALK, SPEKE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2055	0.07	LAND IN FRONT OF 2-16 ILKLEY WALK, SPEKE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2056	0.07	LAND IN FRONT OF 1-17 SHIPLEY WALK, SPEKE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2057	0.07	LAND IN FRONT OF 2-16 SHIPLEY WALK, SPEKE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2058	0.24	LAND AT TEWIT HALL CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
2060	0.16	LAND ON SPEKE HALL AVENUE AT JUNCTION WITH HALE ROAD / SPEKE CHURCH ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	6
2072	0.10	LAND TO NE OF JCT OF WINDOW LANE & CANTERBURY STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
2073	0.35	LAND AT SEOF JCT OF BANKS ROAD & BRUNSWICK STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	13
2086	0.05	FORMER QUEEN ARMS PUB	Site faces significant suitability constraints Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2089	0.14	LAND TO THE NORTH OF VICTORIA CLOSE L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2090	0.04	20-30 TOWNSEND LANE L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2091	0.01	LAND ADJACENT TO 36 CLARENDON ROAD L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2095	0.01	5 Breeze Hill, Liverpool, L9	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2104	0.05	54/62 Rose Lane, Liverpool, L18	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2110	0.05	39-47 Hall Lane, Liverpool, L7	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2
2115	0.02	3 Oak Terrace, Beech Street, Liverpool, L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2117	0.01	62 Everton Valley, Liverpool, L5	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2118	0.01	285 Kensington, Liverpool, L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2123	0.13	39 Lilley Road, Liverpool, L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2124	0.04	114 Princes Road, Liverpool, L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2134	0.05	4-6 Deane Road, Liverpool, L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2135	0.15	1-3 Normanton Avenue, Liverpool, L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2141	0.03	116 Princes Road, Liverpool, L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2149	0.03	9 Greenfield Road, Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2153	0.01	60 Derby Lane, Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2157	0.04	26 Balmoral Road, Liverpool, L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2164	0.10	19-21 Derby Lane, Liverpool, L13	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	4
2167	0.01	40 Sheil Road, Liverpool, L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2170	0.03	5 & 6 Oak Terrace, Beech Street, Liverpool, L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2172	0.03	163 Chatham Street, Liverpool, L7	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	5
2184	0.01	56 Rodney Street, Liverpool, L1	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2195	0.03	239 Westminster Road, Liverpool, L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2198	0.03	Vacant land at 2 Vicar Road, Liverpool, L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2200	0.23	Former Employment Exchange, 121-133 Green Lane, Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	12
2203	0.09	141 Green Lane, Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2205	0.01	67 Island Road, Liverpool, L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2208	0.01	117 Vale Road, Liverpool, L25	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2216	0.02	Land adjoining 33 Balmoral Road, Liverpool, L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2217	0.01	19 Goodison Road, Liverpool, L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2218	0.01	2 Hughestead Grove, Liverpool, L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2219	0.04	Land between 4 and 6 Croxteth Hall Lane, Liverpool, L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2220	0.04	Land between 12 and 16 Croxteth Hall Lane, Liverpool, L11	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2228	0.01	89 Kensington, Liverpool, L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2230	0.03	39 Irvine Street, Liverpool, L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2231	0.01	133 Prescott Road, Liverpool, L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2234	0.08	40 Olive Lane, Liverpool, L15 8LS	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2237	0.02	38 Coleridge Street, Liverpool, L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2240	0.02	Former Boxing Club, Wesley Place, Wavertree, Liverpool	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2243	0.01	291 Breck Road, Liverpool, L5	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2249	0.01	1 Thornes Road, Liverpool, L6 9AB	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2255	0.05	4-6 Max Road, Liverpool, L14	Site performs well against suitability criteria Site performs well against availability criteria		2
2256	0.04	4 Greenfield Road, Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2257	0.02	77-79 Roscoe Street, Liverpool, L1	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2264	0.02	Site at 349-353 Westminster Road / 1 Braemar Street, Liverpool, L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2266	0.01	1a Jubilee Avenue, Liverpool, L14	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2269	0.15	Land adjacent to Linnet House, Linnet Lane Liverpool, L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2270	0.18	Former garage premises at 94 Townsend Lane, (on corner of Darmonds Green Avenue), Liverpool, L6	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
2273	0.02	The Tramway, 39 Goodall Street, Liverpool, L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2280	0.11	Land adjacent to 28 Aigburth Drive and at rear of 2-18 Eastfield Drive, Liverpool, L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
2281	0.18	Former Dog and Gun Public House, Croxteth Hall Lane/Carr Lane East, Liverpool, L12	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
2282	0.06	232 Warbreck Moor, Liverpool, L9	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2289	0.12	Former Allenby Square Nursery School, Elms House Road/Allenby Square, Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2295	0.05	9 Derwent Square, Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2299	0.10	439 West Derby Road, Liverpool, L6	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	2

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2302	0.32	Former Corporation Yard, Garston Old Road, Liverpool, L19 9AD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	12
2310	0.11	Land adjacent to Bishops Court, North Drive, Sandfield Park, Liverpool, L12	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	4
2313	0.21	Land at 42 Quarry Road (site of Hastings Roofing Merchants), Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	8
2316	0.05	2, 2a, 4-6 Wood Street liverpool 19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2317	0.02	105 North Dingle, Liverpool, L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2319	0.13	104-106 Cherry Lane, Liverpool, L4	Site performs well against suitability criteria Site performs well against availability criteria		5
2321	0.03	Land at corner of Prescott Road/Greenfield Road, Liverpool, L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2322	0.15	Site of former Crown P.H., 2 Stopgate Lane, Liverpool, L9	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
2323	0.13	Greycot, Park Avenue, Liverpool, L18	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	4
2328	0.02	56-60 OAKFIELD ROAD L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2330	0.15	SITE AT 90 EVERTON ROAD & ADJ. LAND AT SPENCER ST / EVERTON RD & CRESSWELL STREET L6.	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	19

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2334	0.06	35-35a PARKFIELD ROAD L17	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2336	0.05	11 LARKHILL PLACE L13	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	7
2341	0.11	21 KNOWSLEY ROAD L19	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2348	0.04	349 MILL STREET/44 HARLOW STREET L8	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2349	0.04	2-4 BEESTON STREET L4	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2351	0.01	37 STANLEY STREET L7	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2352	0.03	1-3 NEWSTEAD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2353	0.03	LAND ON WEST SIDE OF CAMBRIDGE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2354	0.02	FORMER PUBLIC HOUSE AT JCT OF LODGE LANE & LONGFELLOW STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2355	0.15	41-47 HIGHGATE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2356	0.06	7-15 HIGHGATE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2358	0.01	LAND AT SW CORNER OF BOUNDARY STREET AND FULTON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2361	0.11	LAND ON BANKHALL STREET (BETWEEN BRASENOSE ST AND REGAL WORKS)	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
2363	0.15	FORMER PUBLIC HOUSE, 89 HIGH STREET, WAVERTREE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2364	0.08	2 ALBERT DRIVE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2365	0.07	LAND AT PROSPECT POINT, PRESCOT STREET	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	6
2366	0.20	LAND ON ST BARTHOLOMEW STREET BETWEEN ORIEL STREET & NAYLOR STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
2367	0.21	LAND & BUILDINGS ON ST BARTHOLOMEW STREET BETWEEN ORIEL STREET & PAUL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
2368	0.11	CLEARED SITE AT 17 ORIEL STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2369	0.24	BURLINGTON STREET ONE - VAUXHALL ROAD DEVELOPMENT STUDY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	35
2370	0.33	BURLINGTON STREET TWO - VAUXHALL ROAD DEVELOPMENT STUDY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	14
2379	0.26	FAZAKERLEY CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2382	0.25	FORMER GARSTON MARKET, ISLAND ROAD SOUTH	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
2383	0.29	SHOPS AT LANDFORD AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	10
2384	0.25	LARKHILL LIBRARY	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	9
2397	0.29	PINEHURST INFANT SCHOOL, PINEHURST ROAD	Site performs well against suitability criteria Site faces some availability constraints	Previously Developed Land	10
2415	0.35	HAROLD HOUSE, DUNBABIN ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	13
2417	0.10	124 LONDON ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	98
2419	0.15	1 LINNET LANE Linnet Lane	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2424	0.20	ST GREGORY'S HOUSE. HALEWOOD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	14
2426	0.03	3A GRANVILLE ROAD, GARSTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	5
2427	0.05	30 ULLET ROAD, TOXTETH	Site performs well against suitability criteria Site performs well against availability criteria		5
2428	0.03	GARDEN PLOT OPPOSITE 17 ANNESLEY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2429	0.12	LAND ADJ 34 KNOWSLEY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2430	0.21	172 QUARRY STREET, WOOLTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	6
2433	0.01	LAND TO REAR OF 2 GARDNER ROAD, TUEBROOK	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	0
2434	0.09	LAND ADJ & BEHIND 210 MUIRHEAD AVENUE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	3
2435	0.04	LAND ADJ ST CUTHBERT'S CHURCH, LANGLEY CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	1
2437	0.03	LAND ON SHREWTON ROAD (OPPOSITE 157-161)	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	1
2438	0.02	LAND OFF CALDWELL ROAD (TO REAR OF 19-21)	Site performs well against suitability criteria Site performs well against availability criteria	Greenfield	1
2440	0.04	LAND BETWEEN WALKER STREET & RAVEN CLOSE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2441	0.03	ELECTRICITY SUB STATION, DONALDSON STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2442	0.01	ELECTRICITY SUB STATION, TO REAR OF 30 SOUTH MOSSLEY HILL ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2445	0.27	BIRCH HOUSE, 97 GREEN LANE, WOOLTON	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	25

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2446	0.09	LAND ADJ TO 12 MOSS LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
2448	0.08	BRETHRENS MEETING ROOM, BEAUCLAIR DRIVE, CHILDWALL	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2457	0.01	54 SMITHDOWN ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2458	0.01	135 SMITHDOWN ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2459	0.01	58 PRESCOT ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	0
2460	0.02	16-20 BRECKFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	1
2470	0.06	MEETING ROOM, MERSEY ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2471	0.12	MEETING ROOM, WELL LANE	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	4
2472	0.38	BRETHREN'S MEETING HALL, 446 ALLERTON ROAD L18	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	14
2479	0.11	DEAN WALTERS BUILDING, UPPER DUKE STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	50
2480	0.12	SITE OF FORMER WITHY GROVE STORES, TRUEMAN STREET	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	80

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitability and Availability	Land Type	Yield
2484	0.31	DINGLE M.E.P.A.S., DINGLE ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	3
2485	0.01	1B ASHFIELD ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	2
2489	0.30	FORMER NOAH'S ARK PUBLIC HOUSE, GANWORTH ROAD	Site performs well against suitability criteria Site performs well against availability criteria	Previously Developed Land	11
2494	0.35	LAND NORTH OF POTTERY AT SEFTON ST / QUEENS DOCK	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	135
2495	0.05	19-21 FLINT STREET	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	127
2496	0.14	BUILDING AT 61-63 BYROM ST (ADJACENT TO JMU IMPERIAL HALLS ON CORNER)	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	116
2498	0.18	LAND AT PRUSSIA ST/ HIGHFIELD ST/ COCKSPUR ST WEST / PALL MALL	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	65
2499	0.24	HERCULANEUM QUAY, ROYDEN WAY, RIVERSIDE DRIVE	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	101
2503	0.13	PREMISES BOUNDED BY JAMAICA ST / FLINT ST / BRICK ST & JORDAN ST	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	30
2504	0.16	LAND BETWEEN PRESTON ST, SHAW HILL ST & MANCHESTER ST	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	16
2506	0.14	LAND BETWEEN JAMAICA ST & ST JAMES ST	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	8

Unique Reference	Gross Site Area (ha)	Site Name and Address	Site Suitabilty and Availability	Land Type	Yield
2507	0.08	11-13 PARKER STREET L1	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	4
2508	0.19	CHUNG WAH SUPERMARKET, ST JAMES STREET	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	16
2509	0.06	20-26 BENSON ST	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	30
2510	0.06	17-29 LORD STREET	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	9
2512	0.05	WINDSOR BUILDING 31 GEORGE ST	Site faces some suitability constraints Site performs well against availability criteria	Previously Developed Land	7
Site Area Total				Yield Total	4607
74.123781					